

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,632,228 B2  
APPLICATION NO. : 10/768889  
DATED : December 15, 2009  
INVENTOR(S) : Brauker et al.


Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Issued Patent		Line	1. <u>Description of Discrepancy</u>
Column			
Title page (Item 56)	43		Under Other Publications, change "Bromedical" to --Biomedical--.
Page 5			
Col. 1			
Title page (Item 56)	47		Under Other Publications, change "208-" to --298- --.
Page 5			
Col. 1			
Title page (Item 56)	54		Under Other Publications, change "Voltammetryand" to --Voltammetry and--.
Page 5			
Col. 2			
Title page (Item 56)	51		Under Other Publications, change "Aniodic" to --Anodic--.
Page 6			
Col. 1			
Title page (Item 56)	54		Under Other Publications, change "Ishikawa," to --Ishikawa,--.
Page 6			
Col. 1			
Title page (Item 56)	54		Under Other Publications, change "290-microm" to --290-micron--.
Page 6			
Col. 1			
Title page (Item 56)	39		Under Other Publications, change "EI" to --EI--.
Page 7			
Col. 2			
Title page (Item 56)	48		Under Other Publications, change "wtih" to --with--.
Page 7			
Col. 2			
Title page (Item 56)	69		Under Other Publications, change "Hoeld," to --Hoeld,--.
Page 7			
Col. 2			
Title page (Item 56)	71		Under Other Publications, change "Membran," to --Membrane,--.
Page 8			
Col. 2			

Signed and Sealed this

Twenty-second Day of June, 2010



David J. Kappos  
*Director of the United States Patent and Trademark Office*

Title page (Item 56)	21	Under Other Publications, change "Fianal" to --Final--.
Page 9		
Col. 2		
2	3	Change "<1.0 .mu.m)" to --(<1.0 .mu.m)--.
2	15	Change "Avgoustiniatos" to --Augoustiniatos--.
5	43	Change "H.sub.2O.sub.2-." to --H.sub.2O.sub.2--.
7	62	Change "Therapuetics," to --Therapeutics,--.
10	43	Change "Biopore.TM." to --Biopore <sup>TM</sup> --.
11	57	Change "o-ring." to --O-ring.--.
12	8	After "thereof" insert --,--.
12	12	Change ".mu.M" to --.mu.M--.
12	13	Change ".mu.mol" to --.mu.mol--.
12	14	Change ".mu.g" to --.mu.g--.
12	16	Change ".mu.L" to --.mu.L--.
12	17	Change ".mu.m" to --.mu.m--.
14	6	Change "thereof" to --thereof.--.
14	14	In Claim 1, after "tissue" delete "in".
14	47	In Claim 11, change "bio stable" to --biostable--.
16	36	In Claim 43, change "portion;" to --portion configured to allow cells and cell processes to pass through;--.